

DAB+ interface for Audi with MMI 2G High via DAB Level (MOST)

Art. Nr: DAB-AUDI-2G

General

The Audi DAB+ kit integrates DAB & DAB+ into your Audi MMI High 2G system without any loss of sound quality!! It will also allow you to control the DAB stations through your factory MMI and steering wheel controls.

You can select the DAB interface via Audi MMI menu via "DAB (Digital radio)".

Features:

- # DAB & DAB+ with perfect digital Quality Sound!
- # DAB Text support
- # DAB & DAB+ codec
- # Last Memory function
- # Control the stations via MMI button and steering wheel
- # Plug and play Cable kit
- # Conservation of OEM CD changer
- # Automatic switching of DAB <-> FM

(Switching is done only if the corresponding station is receivable on FM band and no DAB signal is present)

Screen shot MMI display:



Delivery Package:

- NavInc DAB interface: 1x
- Power cable: 1x
- DAB antenna: 1x
- Instructions
- Warranty

- Invoice

Extra information:

- Connect original CD changer and DAB interface is possible
- Minimum MMI software version: 3640
- Connection of Denison Gatewayh 500 and the iPod interface is possible
- Connection of Multimedia AV interface and the iPod interface is possible
- Connection of the iPod interface and 2x6 OEM CD changer is possible
- There is no automatic station search, this must be started manually via the MMI
- Manual tuning is only necessary for regional ensembles while the car is travelling across regions with different regional ensembles. There's no new scan required for global ensembles.

Product specifications:

Voltage supply: 12V DC

Voltage-operating capacity: 10,5 - 14,8 V

Standby current: 7 mA

Operating current: 120 mA

Power input: 1,80 W

Temperature range: - 30°C up to + 80°C

Weight: 95g

Dimensions W x H x D: 90 x 35 x 65 mm

Car models:

The interface is compatible with the following car models:

A4 (8K) 2007-2009

A5 (8T) 2007-2009

A6 (4F) 2004-2009

A8 (4E) 2002-2009

Q7 (4L) 2006-2009

*Alleen in combinatie met MMI HIGH 2G navigatiesysteem.

Note:

- Connect original CD changer and DAB interface is possible
- Minimum MMI software version: 3640
- Connection of Denison Gatewayh 500 and the iPod interface is possible
- Connection of Multimedia AV interface and the iPod interface is possible
- Connection of the iPod interface and 2x6 OEM CD changer is possible

- There is no automatic station search, this must be started manually via the MMI
- Manual tuning is only necessary for regional ensembles while the car is travelling across regions with different regional ensembles. There's no new scan required for global ensembles.