


Heavy duty mini bracket HD camera; front/rear; 180° (NTSC)

Art. Nr: CAM-HD-Q2HDF



DESCRIPTION

Heavy duty HD mini substructure (vertical) & top (horizontal) mounting camera

Features

- 1/3" SONY CMOS HD Color Sensor
- Vibration & impact resistant housing
- IP69K Waterproof rating
- 180 degrees lens
- WDR (Wide Dynamic Range)
- High End Night View (0.03Lux) without LEDs
- Anti-glare & ghost
- Voltage range (10V-24V)
- Extreme Temp. Durability
 - Operating: -30°C ~ 60°C
 - Storing Temp. : -40°C ~ 80°C
- 4-pins Mini connector to RCA
- Front & rear mounting wire
- CE-mark
- FCC-mark
- 2 Year warranty & Support

EXCLUSIVE CAMERA FEATURES


SONY CCD

High End 1/3" SONY CMOS HD Color Sensor with 1280*960 resolution

SONY

Front & Rear mounting

Front & Rear mounting wire



Ignition Power proof (+15)

It is possible to connect the powersupply to an ignition feed (+15), because we use the highest quality camera.

In this way you are able to watch the camera also in DRIVE gear or via manual selection.

180 degrees lens


Wide angle lens special for front camera option or to see wide view

NOTES

- We recommend that the installation will be performed by a qualified specialist
- Check also the other tabs for "Compatibility" - "Package contents" - "Product specifications"

LEGAL NOTICE

Please check before purchase if it is aloud to install this camera and it wont affect your MOT.



COMPATIBILITY

Universal use

Rear & Front installation

NOTES

- RCA output = male
- CVBS signal is NTSC